

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. 10/023,621 12/18/2001 David Slocum 24837/04231 3926 26291 **EXAMINER** 7590 10/05/2004 MOSER, PATTERSON & SHERIDAN L.L.P. PHAM, HOA Q 595 SHREWSBURY AVE, STE 100 ART UNIT PAPER NUMBER FIRST FLOOR SHREWSBURY, NJ 07702 2877

DATE MAILED: 10/05/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)
Office Action Summary	10/023,621	SLOCUM ET AL.
	Examiner	Art Unit
	Hoa Q. Pham	2877
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply		
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).		
Status		
 Responsive to communication(s) filed on 14 September 2004. This action is FINAL. 2b) This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. 		
Disposition of Claims		
4) ☐ Claim(s) 1-38 is/are pending in the application. 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) 1-31 is/are allowed. 6) ☐ Claim(s) 32-38 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	vn from consideration.	
Application Papers		
9)☐ The specification is objected to by the Examine 10)☑ The drawing(s) filed on 14 September 2004 is/a Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11)☐ The oath or declaration is objected to by the Ex	are: a) \boxtimes accepted or b) \square object drawing(s) be held in abeyance. Section is required if the drawing(s) is object.	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 		
Attachment(s)	4) 🔲 Interview Summary	(PTO.413)
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 	Paper No(s)/Mail Di	

Art Unit: 2877

DETAILED ACTION

Drawings

1. The drawings were received on 9/14/04. These drawings are approved.

Specification

2. The amendment filed on 9/14/04 is objected to under 35 U.S.C. 132 because it introduces new matter into the disclosure. 35 U.S.C. 132 states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows: Applicant's amendment to specification in which the limitations "it is to be understood that a torque produced by the weight of the electronic and optic components is substantially supported by the case 10" in page 4 lines 9-11 and claims 32, 35-37; and "the cap 50 is pressure fit into the cavity 32" in page 3, line 22, are not supported by the original disclosure.

Applicant is required to cancel the new matter in the reply to this Office Action.

Claim Rejections - 35 USC § 112

3. Claims 32-38 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. The new limitations in claims 32-37 are not

3

Application/Control Number: 10/023,621

Art Unit: 2877

7

supported by the original disclosure as mentioned above. Claim 38 is dependent on claim 33, therefore inherit the deficiency of claim 33.

Page 3

Allowable Subject Matter

- 4. Claims 1-31 are allowed.
- 5. The following is a statement of reasons for the indication of allowable subject matter:

There was no prior art found by the examiner that suggested modification or combination with the cited art so as to satisfy the combination of all the limitations in As to claims 1 and 26, the prior art of record, taken alone or in claims 1 and 26. combination, fails to disclose or render limitations "a case having a shape, electronics for measuring a color content of light emitted from the surface being within the case" and "a plurality of case supporting elements, extending over and radially outwardly from the case, uniformly distributed around a perimeter of the case", in combination with the rest of the limitations of claims 1 and 26.

Response to Arguments

- Applicant's arguments filed 9/14/04 have been fully considered but they are not 6. persuasive.
- a. It is agreed that the specification discloses that "a monitor calibrator for mounting to a surface in order to reduce the effects of gravity on the calibrator. The calibrator as a shape with a plurality of case supporting elements extending

Application/Control Number: 10/023,621

Art Unit: 2877

from the case uniformly distributed around a perimeter of the case"; however, nowhere in the specification clearly states that "a torque produced by the weight of the electronic and optic components is substantially supported by the case 10". Thus, applicant's amendment to the specification and claims 32, 35, 36 and 37 introduce new matter that not supported by the present disclosure.

- b. The new limitation " **the cap 50** is pressure fit into the cavity 32" introduces new matter because nowhere in the original specification or drawings show this limitation.
- 7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 2877

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoa Q. Pham whose telephone number is (571) 272-2426. The examiner can normally be reached on 7:30AM to 6 PM, Monday through Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory J. Toatley, Jr. can be reached on (571) 272-2800 ext. 77. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Hoa Q. Pham Primary Examiner Art Unit 2877

HP September 20, 2004